

World Class Technology in Automatic "U" Profile Butt Fusion Welding Machine







TRANSPORTATION HDPE TANKER

REACTION VESSEL

FRP VESSEL ON MS TANK

2) We devlop an international veriety of "SPIRAL" STORANGE TANKS FOR CHEMICALS STORAGE- Spiral Tanks Are Innovative Thermoplastic Storage Vessels Manufactured By Fabricating Spiral Pipe And Have Been Serving The Needs For Undustrial Sector In Chemicar Storage Since The Past 10 Years

We Manufacture Spiral Storage Tanks Upto Capacity Of 60 KI In Hdpe & Pp. We Are The Only Indian Company These Tanks Are Specially Designed For High Temperature Application (-40° C To + 100° C)

Each Tank Is Fabricated By Means Of Imported Welding Gun. These Tanks Will Not Leak. Rust Chip Or Corrode And Are Durable Enough To Withstand Extreme Service Environments And Harsh Outdoor Weather.

Backed By 10 Years Of Experience, We Offer Premium Quality & Wide Range Of Hdpe & Pp Spiral Tanks. These Tanks Are Available In Any Cylindrical Vertical, Cylindrical Horizontal. Square & Rectangular Shaps. Chemical Storage Tanks Are Manufactured By Chemical Grade Imported And 100% Virgin Raw Material. Manufactured By Unique Process Of "winding" These Tanks Are Ideal For Storage Of Diverse Range Of Chemicals. Effluents And Other Corrosive Materials.

CAPACITY: 0.5 KL to 60 KL

DIAMETERS: 300 mm to 3600 mm

(in mm: 300, 460, 560, 600, 700, 800, 900, 1000, 1200, 1600, 1840, 1900, 2000,

2200, 2400, 2550, 2700, 3000, 3600)

LENGTH: upto 6000 mm, even longer on special request.

INTRODUCING NEW DIAMETERS IN LATE 2012: 1400, 1500, 1700, 1800, 3300, 4000 mm)

FEATURES:

- 1. Chemical & Corrosion Resistance
- 2. Light in weight
- 3. Abrasion Resistance
- 4. Leak Proof
- 5. Easy to clean & maintain

APPLICATION:

- 1. Ideal For chemical storage at high tomperatures (- 40° C To $+90^{\circ}$ C(HDPE) / +110 C (PP).
- 2. Transportation Vessels
- 3. Water Treatment tanks
- 4. Reaction Vessel
- 5. Transportation Tanker
- 6. PP & FPP Tank
- 7. PP & HDPE Horizontal Tank
- 8. P.P. Vaccum Tank















ELECTROPLATING PP TANK



PP CHEMICAL STORAGE TANK



FRP TANK

ABS Pickling System Advantages:

For: Acid Pickling, Degreasing, Rinsing, Fluxing, Electroplating, Anodizing, Passivation

- → Hot pickling
- → Short pickling time
- → Less pickling tanks
- → increased productivity
- → Low rejection
- → Clan working area
- → High employee's acceptance
- → Better pickling quality
- → Easy draining of sludge
- → Corrosion resistant
- → Maintenance free & cost saving
- → Reliable welding seam
- → Average Tank life upto 20 years
- → Integral Fume ducting / Space saving

Specifications:

- → Planning & construction of tank system with fume exhaust system
- → Rabust desing of tank mode out of industrial Thermoplastic.
- → Enviranment friendly Fume Extraction System, avaiding corrosin of surrounding steel construction, cranes and roof structure.
- → Plastic Tanks available in flat pack modules (reduced volume)
- → Heating and circulation system available (optional)
- → Tank made from Industrial Thermoplastic and welded with state-ofthe-art hot gas extrusion welding process and stress relieved.
- → Madules assembled and welded at site for easy transportation
- → 100% leak proof welding

- Fume Free Work Place.
- Corrassion Free Atmosphere.
- Tanks Are Available Up To 40 Meter Length.
- Polypropylene Tanks Are Suitable For Mixture Of Hydrofluoric Acid Nitric Acid And Also Suitable Of Hcl Acid.
- Plastic Tanks Meet Stringent Environment Conditions.
- Mode Out Of High Grade Thermoplastic (acid Proof)
- Sliding / Moving Cover
- Openable
- Manual
- **Prumatically Operated**
- Available Upto 14 Mts Of Length

Advantages:

- → Energy Saving on Fume Suction load.
- Comfort of operator
- Energy saving for heating load
- **Environment friendly**
- particles
- → Stopping corrosion of building and roof
- → Full-fill Emission level in working area
- → Higher Employees acceptance

Features:

- Sliding / Moving . Pivoted / Covers are manufactured as per customer requirement.
- → They are mode from ----corrosive thermoplastic enable to make them acid proof
- → Covers are operated by monual as well as pneumatically.
- \rightarrow Protection of liquid ogainst falling dust and \rightarrow All metal Parts are covered with plastic to make them corrasino proof.
 - Covers help to reduce fume load to Electric Motor and wattage of heaters
 - → Anticar sliding covers are popular among pretreatment plants for energy saving

Applications:

- → Pretreatment Tanks
- → Electroplating Tanks
- → Anodising Tanks
- → Phosphating Tanks
- → Wet Processing Tanks for wire
- → Strip Processing Line
- → Tunnel Wire Pickling Line

World Class Technology in Butt Welding Machine





PP TANK ON ARI LINE

FRP AICD TANK



ELECTROPLATING PLANT

We produce tanks mode of welded thermoplastic sheets as well as of composite materials for each case of application the ideal materials.

Customised Thermoplastic Storage Tanks

The design of the circular tanks is a result of the customer specification and the technical factors, We can accurately implement any required diameter. There is a special tank for each operational requirment. designed for temperature, medium, equipment and occurring loads. Our Product is suitable bath for indoor and door installation.

Open at the top Dished Top Dished bottom Flat top Flat bottom Tank with support bottom Inclined top Inclined bottom Horizontal version Conical top Conical bottom Secondary Contains	
--	--

Guarantee

An Important part of how quality is perceived in the way that warranties are handled. In addition to our standard warranty conditions. we can also make ogreements with you about extended guarantee periods based on shared responsibility

ABS ALL PRODUCTS MANUFACTURING

























ABS ALL PRODUCTS MANUFACTURING


























Thermoplastic	Composite	User Industries :	
Materials	Materials	→ Chemical Industries	
		→ Pharma Industries	
PP	PP - GRP	→ Food Industries	
• •		→ Beverage Industries	
PE / HDPE	PE - GRP	→ Agro-Chemical Industries	
		→ Battery Manufacturing	
PVC	PVC - GRP	→ Hot-Dip Galvanizing	
		→ Petro-Chemical / Fertilzer Ind.	
PVDF	PVDF - GRP	→ Steel Industries	
		→ Anodising Factories	
ECTFE	ECTFE - GRP	→ Electroplating Factories	
EDD (ODD)	FFD 000	→ Effuents / Water Treatment Plants	
FRP (GRP)	FEP - GRP	→ Automative Industries	
		→ Chlar-Alkali Industries	

User Bonefits

Acid Proof / Corrossion Proof Highly Durable Toilor mode Easily reqairable Ease of Draining (Shope Bottom) Look Proof Easy to Cleon Light in weight



Email: absplast ochem 35@gmail.com

$Unit \cdot 1 : \cdot$

56, Shreenath Estate, Nr. Maize Product, Singarwa, Ahmedabad.382415. Unit - 2 :-

42, Amarnath Estate, Nr. Maize Products, Singarwa, Ahmedabad-382415.

Office :-

33, Snehmilan Chikuwadi, Nana Varachha, Surat-395006.

Contact :-

Mohit Sojitra +91 9099089323 +91 9512833323